

A bibliography of the main sources of evidence available on harmful use of alcohol.

1. Anderson P, Chisholm, D, Fuhr, D. (2009) Effectiveness and cost-effectiveness of policies and programmes to reduce the harm caused by alcohol. *Lancet*, **373**(9682):2234–2246.
2. Anderson P, de Bruijn A, Angus K, Gordon R, Hastings G. (2009) Impact of alcohol advertising and media exposure on adolescent alcohol use: a systematic review of longitudinal studies. *Alcohol and Alcoholism*, **44**:229-243.
3. Babor TF et al. (2010) *Alcohol: no ordinary commodity*. 2nd Edition. Oxford, Oxford University Press.
4. Buse K, Hein W, Drager N (Eds). (2009) *Making sense of global health governance: a policy perspective*. London, Palgrave Macmillan, 2009.
5. Campbell, Carla Alexia et al. (2009) The Effectiveness of Limiting Alcohol Outlet Density As a Means of Reducing Excessive Alcohol Consumption and Alcohol-Related Harms. *American Journal of Preventive Medicine* **37**(6):556–569
6. Collins D, Lapsley H et al. (2006) *International Guidelines for the Estimation of the Avoidable Costs of Substance Abuse*. Ottawa, Health Canada.
<http://www.hc-sc.gc.ca/hc-ps/pubs/adp-apd/cost-cout-abus/index-eng.php> [accessed 7 August/2009]
7. Fell JC, Fisher DA, Voas RB, Blackman K, Tippetts AS. (2008) The relationship of underage drinking laws to reductions in drinking drivers in fatal crashes in the United States. *Accident Analysis & Prevention*, **40**(4):1430-1440.
8. Garbutt JC. (2009) The state of pharmacotherapy for the treatment of alcohol dependence. *Journal of Substance Abuse Treatment*, **36**(1):S15-23.
9. Graham K, Homel R. (2008) *Raising the Bar: Preventing Aggression in and around Bars, Pubs and Clubs*. Uffculme, Devon, United Kingdom, Willan Publishing.
10. Grant M, Leverton M (Eds). (2010) *Working together to reduce harmful drinking*. London, Routledge, Taylor & Francis Group.
11. Heather N (Ed). (2006) *WHO Collaborative project on identification and management of alcohol-related problems in primary health care. Report on Phase IV. Development of country-wide strategies for implementing early identification and brief intervention in primary health care*. Geneva, World Health Organization
(http://www.who.int/substance_abuse/publications/identification_management_alcoholproblems_phaseiv.pdf)
12. Herttua K, Mäkelä P, Martikainen P. (2008) Changes in alcohol-related mortality and its socioeconomic differences after a large reduction in prices: A natural experiment based on register data. *The American Journal of Epidemiology* 2008; **168**:1110-1118.
13. Jackson R, Johnson M, Campbell F, Messina J, Guillaume L, Meier P, Goyder E, Chilcott J, Payne N. (2009) *Screening and Brief Interventions for Prevention and Early Identification of Alcohol Use Disorders in Adults and Young People*
(<http://www.nice.org.uk/guidance/index.jsp?action=download&o=45665>, accessed 27 September 2009).
14. Lachenmeier D, Rehm J, Gmel G. (2007) Surrogate alcohol: What do we know and where do we go? *Alcoholism: Clinical & Experimental Research*, **31**(10):1613-1624.

15. Livingston M, Chikritzhs T, Room R. (2007) Changing the density of alcohol outlets to reduce alcohol-related problems. *Drug and Alcohol Review*, **26**:557-566.
16. Magill M, Ray LA. (2009) Cognitive-behavioral treatment with adult alcohol and illicit drug users: a meta-analysis of randomized controlled trials. *Journal of Studies on Alcohol and Drugs*, **70**:516-527.
17. Mann RE, Macdonald S, Stoduto LG, Bondy S, Jonah B, Shaikh A. (2001) The effects of introducing or lowering legal per se blood alcohol limits for driving: an international review. *Accident Analysis and Prevention*; **33**:569-83.
18. Miller W, Weisner C. (Eds.) (2002) *Changing substance abuse through health and social systems*. New York, New York, Kluwer Academic and Plenum Press, 2002.
19. Nelson JP. Alcohol Advertising Bans, Consumption, and Control Policies in Seventeen OECD Countries, 1975-2000. *Applied Economics* (in press).
20. Purshouse R, Brennan A, Latimer N, Meng Y, Rafia R, Jackson R, Meier P. (2009) *Modelling to assess the effectiveness and cost-effectiveness of public health related strategies and interventions to reduce alcohol attributable harm in England using the Sheffield Alcohol Policy Model version 2.0 Report to the NICE Public Health Programme Development Group*. (<http://www.nice.org.uk/guidance/index.jsp?action=download&o=45668>, accessed 27 September 2009)
21. Rabinovich L et al. (2009) *The affordability of alcoholic beverages in the European Union: understanding the link between alcohol affordability, consumption and harms*. Cambridge, United Kingdom, RAND Corporation (http://www.rand.org/pubs/technical_reports/TR689 , accessed 12 July 2009).
22. Rehm J, Mathers C, Popova S, Thavorncharoensap M, Teerawattananon Y, Patra J. (2009) Global burden of disease and injury and economic cost attributable to alcohol use and alcohol use disorders. *Lancet*, **373**(9682):2223–2233.
23. Rehm J, Anderson P, Kanteres EF, Parry CD, Samokhvalov AV, Patra J. (2009) *Alcohol, social development and infectious disease*. Toronto, Canada, Centre for Addiction and Mental Health, 2009.
24. Rehm J. et al. (2010) The relation between different dimensions of alcohol consumption and burden of disease - an overview. *Addiction*, (in press).
25. Room R, Babor T, Rehm J. (2005). Alcohol and public health. *Lancet*, **365**(9458):519-530.
26. Saffer H, Dave D. (2006). Alcohol advertising and alcohol consumption by adolescents. *Health Economics*, **15**(6):617–637.
27. Shults RA, Elder RW, Sleet DA, Nicholas JL, Alao MO, Carande-Kulis VG, et al. (2001) Reviews of evidence regarding interventions to reduce alcohol-impaired driving. *American Journal of Preventive Medicine* **21**:66-88.
28. Task Force on Community Preventive Services (2010). Increasing Alcoholic Beverage Taxes Is Recommended to Reduce Excessive Alcohol Consumption and Related Harms. *American Journal of Preventive Medicine* **38**(2):230–232
29. Wagenaar AC, Salois MJ, Komro KA. (2009). Effects of beverage alcohol price and tax levels on drinking: a meta-analysis of 1003 estimates from 112 studies. *Addiction* **104**(2):179-190.
30. Wallin E, Norström T, Andréasson S. (2003). Alcohol prevention targeting licensed premises: a study of effects on violence. *Journal of Studies on Alcohol and Drugs* 2003; **64**:270-277.

31. Webb G, Shakeshaft A, Sanson-Fisher R, Harvard A. (2009) A systematic review of work-place interventions for alcohol-related problems. *Addiction*, **104**:365–377.
32. Wilkinson C, Room R. (2009). Warnings on alcohol containers and advertisements: international experience and evidence on effects. *Drug and Alcohol Review*, **28**:426-435.
33. World Health Organization (2006) *Reducing harm from use of alcohol: community responses*. New Delhi, WHO Regional Office for South-East Asia, 2006 (Alcohol Control Series, No. 5).
34. World Health Organization Expert Committee on Problems Related to Alcohol Consumption. Second report (2007). Geneva, World Health Organization, 2007 (WHO Technical Report Series, No. 944). (http://www.who.int/substance_abuse/expert_committee_alcohol/en/index.html , accessed 12 October 2009).
35. World Health Organization Commission on Social Determinants of Health (2008) *Closing the gap in a generation*. Geneva, World Health Organization, 2008 (http://www.who.int/social_determinants/thecommission/finalreport/en/index.html , accessed 12 October 2009).
36. World Health Organization (2009) *Handbook for action to reduce alcohol-related harm*. Copenhagen, Regional Office for Europe (<http://www.euro.who.int/Document/E92820.pdf> , accessed 12 October 2009).
37. World Health Organization (2009) *Evidence for the effectiveness and cost-effectiveness of interventions to reduce alcohol-related harm*. Copenhagen, Regional Office for Europe. (<http://www.euro.who.int/document/E92823.pdf> , accessed 12 October 2009).
38. World Health Organization (2009) Global Information System on Alcohol and Health (GISAH) [web site]. Geneva, World Health Organization (<http://apps.who.int/globalatlas> , accessed 12 October 2009).