

INTERNATIONAL CONFERENCE

Infant feeding in emergency: lessons learned and next steps

October 28th 2022 - National Institute of Health, Rome

The World Breastfeeding Trends Initiative (WBTi) - a monitoring and advocacy tool for protecting infant and young child feeding in emergencies (IYCF-E)

Dr Irena Zakarija-Grković, MD, FRACGP, IBCLC, PhD, FABM University of Split School of Medicine, Split, Croatia World Breastfeeding Trends Initiative, European Coordinator



Disclosure of interests

- I am the voluntary WBTi coordinator for Croatia and Europe
- I am a voluntary founding and current member of the Croatian National Breastfeeding Committee (founded 2006)
- I am the voluntary leader of the Croatian Ministry of Health Working Group for preparing an IYCF-E policy
- I am a voluntary UNICEF Croatia collaborator
- I am employed full-time at the University of Split School of Medicine







Overview

- What is WBTi?
- How can it help us monitor IYCF-E?
- What is the state of IYCF-E in Europe
- What is the state of IYCF-E in Italy?



The Guide Book

Galvanising action on breastfeeding and infant and young child feeding (IYCF)

• How can the WBTi help us advocate for the protection of IYCF-E?





World Breastfeeding **Trends Initiative (WBT***i*)



What is the WBTi?

- Tool for assessing implementation of the Global Strategy for Infant and Young Child Feeding in a standard way
- Based on the WHO's tool for national assessment of policy and programs on IYCF
- Generates country reports
- A global data repository on IYCF
 - https://www.worldbreastfeedingtrends.org/wbti-countries.php •





Dr Arun Gupta WBTi Global Coordinator





WBTi: assessment process





After the assessment process is completed and findings are shared with the WBT*i* secretariat & IBFAN Asia by the country coordinator,

<u>Analysis & Verification</u> <u>Process begins</u>



WBTi report

CROATIA

Report Card: 2015

92.5

The State of Infant and Young Child Feeding (IYCF)



Total Score (Indicator 1-15): 92.5/150





Izvještaj





WBTi Policy and Program Indicators

- National Policy, Programme and Coordination 1.
- Baby Friendly Hospital Initiative 2.
- Implementation of the International Code of Marketing of Breastmilk 3. Substitutes
- Maternity Protection 4.
- Health and Nutrition Care Systems 5.
- Mother Support and Community Outreach 6.
- Information Support 7.
- 8. Infant feeding and HIV
- Infant and Young Child feeding during Emergencies 9.
- Mechanism of Monitoring and Evaluation System 10.





WBTi Indicator 9: IYCF-E

Criteria for assessment

9.1) The country has a comprehensive Policy/Strategy/ Guidance on infant and young child feeding during emergencies as per the global recommendations with measurable indicators.

9.2) Person(s) tasked to coordinate and implement the above policy/strategy/guidance have been appointed at the national and sub national levels

9.3) The health and nutrition emergency preparedness and response plan based on the global recommendation includes:

- 1. Basic and technical interventions to create an enabling environment for breastfeeding, including counselling by appropriately skill trained counsellors, and support for relactation and wet-nursing.
- 2. Measures to protect, promote and support appropriate and safe complementary feeding practices
- 3. Measures to protect and support the non breast-fed infants
- 4. Safe spaces for IYCF counselling support services.
- 5. Measures to minimize the risks of artificial feeding, including an endorsed Joint statement on avoidance of donations of breastmilk substitutes, bottles and teats, and standard procedures for handling unsolicited donations, and minimize the risk of formula feeding, procurement management and use of any infant formula and BMS, in accordance with the global recommendations on emergencies
- 6. Indicators, and recording and reporting tools exist to closely monitor and evaluate the emergency response in the context of feeding of infants and young children.

9.4) Adequate financial and human resources have been allocated for implementation of the emergency preparedness and response plan on IYCF

9.5) Appropriate orientation and training material on infant and young child feeding in emergencies has been integrated into pre-service and in-service training for emergency management and relevant health care personnel.



9.6) Orientation and training is taking place as per the national plan on emergency preparedness and response is aligned with the global recommendations (at the national and sub-national levels)

✓ Check that apply					
YES	NO				
2	• 0				
YES	NO				
2	• 0				
YES	NO				
0.5	• 0				
YES	NO				
0.5	• 0				
YES	NO				
0.5	0				
YES	NO				
0.5	• 0				
YES	NO				
0.5	• 0				
YES	NO				
0.5	• 0				
YES	NO				
2	• 0				
YES	NO				
$\square 0.5$					
Yes	NO				
0.5					
-					



Global Strategy implementation in Europe

The World Breastfeeding Trends Initiative (WBTi)

ARE OUR BABIES OFF TO A HEALTHY START?

The State of Implementation of the Global Strategy for Infant and Young Child Feeding in 18 European Countries



Zakarija-Grković et al. International Breastfeeding Journal https://doi.org/10.1186/s13006-020-00282-z

RESEARCH

Are our babies off to a healthy start? The state of implementation of the Global strategy for infant and young child feeding in Europe

Irena Zakarija-Grković¹*, Adriano Cattaneo², Maria Enrica Bettinelli³, Claudia Pilato⁴, Charlene Vassallo⁵, Mariella Borg Buontempo⁵, Helen Gray⁶, Clare Meynell⁶, Patricia Wise⁷, Susanna Harutyunyan⁸, Stefanie Rosin⁹, Andrea Hemmelmayr¹⁰, Daiva Šniukaitė-Adner¹¹, Maryse Arendt¹² and Arun Gupta¹³

Abstract

Background: To protect children's right to optimal nutrition, WHO/UNICEF developed a Global Strategy for Infant and Young Child Feeding, endorsed by all 53 WHO/EURO Member States. The World Breastfeeding Trends Initiative (WBTi) is a tool for monitoring implementation of the Global Strategy. It comprises 15 indicators, ten referring to policies and programmes, and five to feeding practices. Each is scored on a scale of 10, giving a total score of 150 for Global Strategy implementation. To date, 18 WHO/EURO Member States - Armenia, Austria, Belgium, Bosnia and Herzegovina, Croatia, France, Georgia, Germany, Italy, Lithuania, North Macedonia, Malta, Moldova, Portugal, Spain, Turkey, Ukraine and United Kingdom – have conducted a WBTi assessment and produced a report.

Methods: Between June 2018 and May 2019, all 18 WBTi European reports were carefully read and analysed by a group of national WBTi coordinators. Descriptive data analysis, including inter-country comparisons, was conducted using frequencies and percentages. This paper summarises the findings. The full 88-page report will be published on the WBTi website.

Results: Three-quarters of 18 European countries have adequate maternity protection, and two-thirds have breastfeeding initiation rates of 50% or higher. However, 'Preparedness and planning for appropriate and safe Infant and Young Child Feeding (IYCF) in emergencies' is seriously neglected. Breastfeeding duration is far below WHO recommendations, with an average of 8.7 months. Only three European countries have a budget allocated for implementing IYCF policies and plans, and a third currently have no Baby-friendly designated maternity facilities. Bottle feeding is prevalent, despite its inherent risks, monitoring of IYCF practices is inadequate, with most countries not routinely collecting data, and violations of the International Code of Marketing of Breast-milk Substitutes are commonplace.

https://www.worldbreastfeedingtrends.org/resources/publications



(2020) 15:51

International Breastfeeding Journal





Global Strategy implementation in Europe

Figure 4: Average scores for the 10 IYCF Policy and Programme Indicators.



Policy & Programme Indicators

- 1 National policy, program and coordination
- 2 Baby-friendly Hospital Initiative
- 3 Implementation of the Code
- 4 Maternity protection
- 5 Health and nutrition care systems

- 7 Information support
- 8 Infant feeding and HIV
- 9 IYCF-E



6 – Mother support and community outreach

10 – Monitoring and evaluation



Global Strategy implementation in Europe

Figure 3:

WBT*i* overall score (Policy and Programme plus Practice indicators), out of a total of 150, in the 18 countries, with respective colour codes.









WBTi Italy

THE STATE OF INFANT AND YOUNG CHILD FEEDING (IYCF) 2018

Policies and Programmes (Indicator 1-10)

[score out of 10]

National Policy, Programme and Coordination Baby Friendly Hospital Initiative Implementation of the International Code Maternity Protection Health and Nutrition Care Systems Mother Support and Community Outreach Information Support Infant Feeding and HIV Infant Feeding during Emergencies Monitoring and Evaluation



Early Initiation of Breastfeeding 36.0 Exclusive Breastfeeding for the first 6 months 43.0 Median Duration of breastfeeding Bottle-feeding Rates **Complementary Feeding** 73.0

Total Score (Policy and Programmes) 52.0/100



Practice (Indicator 11-15)

WBTi Italy - Partner List

ACP – Associazion Culturale Pediatri	e Italiana (Profess	Associazione Consulenti sionali in nto Materno	La Leche Le	eague Italia	Allattame	Movimento nto Materno aliano
IL MELOGRANO Cen Informazione Maternità e Nascit	Italiano	Movimento Psicologia natale		ramente rriche	Feeding	eneva Infant Association ssia Bigi)
Scuola Universitaria Superiore Sant'Anna, Save th Pisa (Anna Murante)		Save the Ch	nildren Italy	Italian Committee for UNICEF • UPPA – Un Pediatra Per Amico		





WBTi Italy: Plans

Timeline

- Creation of a group of editors by the end 2022
- First draft by the end of September 2023
- First review by the partners by the end of 2023

For information

https://wbti-italy.jimdofree.com/ mail: wbti.italy@gmail.com







WBTi Europe: Aims

- Draw the attention of national and European politicians/policy makers to the **importance of optimal** IYCF;
- Raise awareness among national and European politicians/policy makers of sub-standard IYCF policies, programmes and practices in Europe;
- Highlight gaps in IYCF policies, programmes and practices, so that national and European politicians/policy makers know where to invest resources;
- Provide recommendations, based on best practices in Europe, on how IYCF policies and programmes can be strengthened to improve practices;
- **Motivate** all countries in the European region to take part in WBTi and repeat the evaluation every 3 - 5 years.





WBTi Europe: A call to action!



- 1. Increase funding to raise breastfeeding rates from birth through two years
- 2. Fully implement the International Code of Marketing of Breastmilk Substitutes and relevant World Health Assembly resolutions through strong legal measures that are enforced and independently monitored by organizations free from conflicts of interest.



3. Enact paid family leave and workplace breastfeeding policies, building on the International Labour Organization's maternity protection guidelines as a minimum requirement, including provisions for the informal sector.



4. Implement the Ten Steps to Successful Breastfeeding in maternity facilities,

including providing breastmilk for sick and vulnerable newborns.



World Health Organization

GLOBAL BREASTFEEDING COLLECTIVE

unicef

5. Improve access to skilled breastfeeding counselling as part of comprehensive breastfeeding policies and programmes in health facilities.



6. Strengthen links between health facilities and communities, and encourage community networks that protect, promote, and support breastfeeding.



7. Strengthen monitoring systems that track the progress of policies, programmes, and funding towards achieving both national and global breastfeeding targets.





How can you get involved?

• **@WBTiGlobalSec**

https://www.facebook.com/wbtigs2018/

irena.zakarija-grkovic@mefst.hr







Save the date!

University of Split School of Medicine



8th European ABM Conference

11th–13th May 2023 Split, Croatia





https://abm-europe.org/ GRAZIE!



