

Table 1. Bacterial Meningitis, rates per million residents, all ages and < 5 years of age, Italy, 1999

REGION	MENINGOCOCCAL		PNEUMOCOCCAL		H. INFLUENZA	
	Total	0 - 4 years	Total	0 - 4 years	Total	0 - 4 years
NORTH	6.4	40.1	7.4	20	1.4	20.8
PIEMONTE	3.0	98.1	4.4	9.8	2.3	44.1
VALLE D'AOSTA	0.0	0.0	0.0	0.0	8.3	159.6
LOMBARDIA	6.7	438.9	7.6	23.0	1.2	10.5
P.A. BOLZANO	49.7	247.4	10.8	92.8	4.3	92.8
P.A. TRENTO	12.7	34.5	16.9	34.5	2.1	0.0
VENETO	5.5	575.5	7.3	16.4	0.9	12.3
FRIULI VENEZIA GIULIA	4.1	0.0	11.8	18.9	1.7	37.8
LIGURIA	4.3	150.6	3.1	0.0	1.8	30.1
EMILIA ROMAGNA	6.5	327.9	9.5	27.3	0.8	16.4
CENTER	4.5	10.7	5.8	17.8	1.1	12.4
TOSCANA	4.2	62.6	6.8	6.3	1.4	6.3
UMBRIA	2.4	257.5	1.2	0.0	0.0	0.0
MARCHE	4.1	138.0	3.4	27.6	0.0	0.0
LAZIO	5.1	103.9	6.6	24.2	1.5	20.8
ABRUZZI	4.7	148.4	4.7	0.0	2.3	14.8
MOLISE	6.1	0.0	0.0	0.0	0.0	0.0
SOOUTH	2.7	12.6	2	1.4	1.3	17.9
CAMPANIA	2.6	167.8	2.6	0.0	1.6	21.6
PUGLIE	2.4	0.0	1.0	0.0	1.7	19.3
BASILICATA	4.9	573.3	1.6	0.0	0.0	0.0
CALABRIA	2.4	0.0	2.0	0.0	0.0	0.0
SICILIA	3.1	178.8	2.0	6.0	1.2	17.9
SARDEGNA	0.6	119.1	1.8	0.0	1.8	35.7
TOTAL	4.7	23.4	5.1	11.8	1.3	18.1

1994	1995	1996	1997	1998	1999
YEAR					

